



Certificate Policy
(ETSI EN 319 411-2)
Version 1.1

IDnow GmbH
Auenstr. 100
80469 Munich

09.06.2017

IDnow Certificate Policy (ETSI EN 319 411-2)

Version	1.1
Date	09.06.2017
Author	Armin Bauer, IDnow GmbH (armin.bauer@idnow.de)

History		
Date	Version	Comment
09.06.2017	1.1	<ul style="list-style-type: none">• Updated address of IDnow• Clarified that full document content or hashes can be signed• Clarified who can display the document• Added details regarding countermeasures against video manipulation• Added details regarding postponed certificate issuance• Added requirement regarding regular penetration tests• Updated for ETSI EN 319 411-2, 319 411-1 and 319 401
11.03.2016	1.0	<ul style="list-style-type: none">• Incorporated changes from observation report• Renamed OpenTrust to DocuSign France• Added mobile phone number to required data
06.01.2016	0.5	Initial draft version

Table of Contents

1. PURPOSE OF THE DOCUMENT	4
1.1 DOCUSIGN FRANCE	5
1.2 OTHER CAS.....	5
2. PUBLICATION AND REPOSITORY RESPONSIBILITIES.....	6
3. IDENTIFICATION AND AUTHENTICATION	7
3.1. NAMING.....	7
3.1.2. NEED FOR NAMES TO BE MEANINGFUL.....	7
3.1.3. ANONYMITY OR PSEUDONYMITY OF CERTIFICATE	7
3.1.4. RULES FOR INTERPRETING VARIOUS NAME FORMS.....	7
3.1.5. UNIQUENESS OF NAMES	7
3.2. INITIAL IDENTITY VALIDATION.....	8
3.2.2. AUTHENTICATION OF ORGANIZATION IDENTITY	8
3.2.3. AUTHENTICATION OF PHYSICAL PERSON IDENTITY	8
3.2.4. NON-VERIFIED SUBSCRIBER INFORMATION	9
3.2.5. VALIDATION OF AUTHORITY.....	9
3.2.6. CRITERIA FOR INTEROPERATION	9
3.3. IDENTIFICATION AND AUTHENTICATION FOR RE-KEY REQUESTS.....	9
3.4. IDENTIFICATION AND AUTHENTICATION FOR REVOCATION REQUEST	9
4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS	10
4.1. CERTIFICATE APPLICATION	10
4.1.1. WHO CAN SUBMIT A CERTIFICATE APPLICATION.....	10
4.1.2. ENROLLMENT PROCESS AND RESPONSIBILITIES	10
4.2. CERTIFICATE APPLICATION PROCESSING	10
4.2.1. PERFORMING IDENTIFICATION AND AUTHENTICATION FUNCTIONS.....	10
4.2.2. APPROVAL OR REJECTION OF CERTIFICATE APPLICATION	11
4.2.2.2. SUBSCRIBER	11
4.3. CERTIFICATE ISSUANCE.....	11
4.3.1. CA ACTIONS DURING CERTIFICATE ISSUANCE.....	11
4.4. CERTIFICATE ACCEPTANCE	12
4.4.1. CONDUCTING CERTIFICATE ACCEPTANCE.....	12
4.6. CERTIFICATE RENEWAL.....	12

4.7. CERTIFICATE RE-KEY	12
4.8. CERTIFICATE MODIFICATION.....	12
4.9. CERTIFICATE REVOCATION AND SUSPENSION	13
4.9.1. CIRCUMSTANCES FOR REVOCATION	13
4.9.2. WHO CAN REQUEST REVOCATION.....	13
4.9.3. REVOCATION REQUEST PROCEDURE	13
4.9.5. TIME WITHIN WHICH CA MUST PROCESS THE REVOCATION REQUEST	13
5. FACILITY, MANAGEMENT AND OPERATIONAL CONTROLS	14
5.1. PHYSICAL CONTROLS.....	14
5.2. PROCEDURAL CONTROLS	14
5.3. PERSONNEL CONTROLS	15
5.3.7. INDEPENDENT CONTRACTOR REQUIREMENTS.....	15
5.3.8. DOCUMENTATION SUPPLIED TO PERSONNEL.....	15
5.4. AUDIT LOGGING PROCEDURES.....	16
5.5. RECORDS ARCHIVAL	16
5.7. DISASTER RECOVERY	17
5.8. TERMINATION	17
6. TECHNICAL SECURITY CONTROLS.....	18
6.4. ACTIVATION DATA.....	18
6.5. COMPUTER SECURITY CONTROLS	18
6.5.1. SPECIFIC COMPUTER SECURITY TECHNICAL REQUIREMENTS.....	18
6.7. NETWORK SECURITY CONTROLS	18
6.8. TIME STAMPING	19
8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS	20
8.3. TOPICS COVERED BY ASSESSMENT.....	20
9. OTHER BUSINESS AND LEGAL MATTERS	21
9.4. PRIVACY OF PERSONAL INFORMATION.....	21
9.4.1. PRIVACY PLAN.....	21
9.6. REPRESENTATIONS AND WARRANTIES	21
9.6.3. RA REPRESENTATIONS AND WARRANTIES.....	21
9.8. LIMITATIONS OF LIABILITY.....	22
9.9. INDEMNITIES	22

1. PURPOSE OF THE DOCUMENT

IDnow GmbH acts as the Registration Authority (RA) and as such identifies subscribers requesting personal signatures based qualified certificates with SSCD from a Certificate Authority (CA, CSP). IDnow only performs the identification of subscribers, if

- The subscriber and the subject are the same natural person.
- The subscriber requests the qualified certificate for signing documents on its own behalf and not on behalf of a third person.

This document is not a full CP itself but includes comments and explanations to proof that and how the requirements for the RA in the CA's CP are fulfilled under the standards ETSI EN 319 411-2, ETSI EN 319 411-1 and ETSI EN 319 401.

For the purpose of this document there is a contact to the CA for the RA part at IDnow. This contact is responsible for the following duties:

- Report all security incidents to the CA,
- manage the changes within this document upon validation of the CA,
- control that the operational procedures regarding the RA activities are performed in compliance with the present registration policy.

IDnow performs the following four process steps to assure that the identification of a natural person online has an "equivalent assurance" to a face-to-face identification:

- 1) Check of the actual existence of the person in real life
- 2) Check whether the ID document belongs to this specific person
- 3) Proof that the present person is the same as specified before
- 4) Check the legal validity of the ID document

The process description is attached to this document.

IDnow acting primarily as Registration Service acts

- on behalf of a relying party (e.g. financial institute) to transmit documents that need a signature of the subscriber to the subscriber
- on behalf of the subscriber as an agent to request a qualified certificate to be issued by the CA,
- on behalf of the subscriber as an agent to request the electronic signature of one or more documents delivered together with the request,
- on behalf on behalf of the relying party as an agent receiving the signed documents, performing all required checks requested by the German Anti Money Laundering Act and creating a quality report allowing the relying party to identify the new customer according to the law,
- on behalf of the CA as contact place to start a revocation process

The ETSI standards cited above request in chapter 7.3.1 e) that a subscriber has to be identified either directly (face-to-face) or "indirectly using means which provides equivalent assurance to physical presence".

1.1 DOCUSIGN FRANCE

Under this CP, IDnow can act as the RA for DocuSign France. According to the Certificate Policy of DocuSign France, DocuSign France manages the overall Policy Management Authority.

The relevant OID to consider for this document is OID 1.3.6.1.4.1.22234.2.8.3.20.

According to DocuSign France's CP document IDnow GmbH is the Customer, the Registration Authority and the Operational Authority for the RA.

The existing certificates of the Protect and Sign Personal Signature solution that DocuSign France offers as a CA do not cover the registration services but include requirements for registration authorities to be fulfilled.

1.2 OTHER CAS

Under this CP, IDnow can act as the RA for additional CAs as long as the requirements for personal signatures based on qualified certificates with SSCD are fulfilled.

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

The terms and conditions are shown to the Subscriber during the Consent Protocol and signed by Subscriber during the Consent Protocol and are included in the proof file.

3. IDENTIFICATION AND AUTHENTICATION

3.1. NAMING

3.1.2. NEED FOR NAMES TO BE MEANINGFUL

Within the video identification process, the name of the subscriber is being checked against a copy of the passport or identity document.

IDnow collects the data of the user and checks them. The following data will be collected at the minimum:

- Name
- Place of birth
- Date of birth
- Nationality
- ID card number
- Issuing country
- Type of identity document
- Mobile phone number

3.1.3. ANONYMITY OR PSEUDONYMITY OF CERTIFICATE

All names are real names and have been checked against evidence in form of a copy of the passport or identity document. Anonymity or pseudonymity will not be accepted by IDnow.

3.1.4. RULES FOR INTERPRETING VARIOUS NAME FORMS

The subject name must contain the full name of the subscriber. The name used is the name of the subject at the time the certificate was issued. The name will always be taken from the identity document used to identify the subscriber.

RA name is contained in the DN of the Subscriber.

3.1.5. UNIQUENESS OF NAMES

The uniqueness of each subject name is ensured by providing the full name of the subscriber as well as a unique transaction number.

In addition, IDnow stores additional tokens:

- A transaction number provided by the client which enables the signed documents to be linked to a request from the client

- An internal transaction number from IDnow which allow to uniquely identify the process in the systems of IDnow.

These unique tokens are linked to the signature transaction for one or more documents.

3.2. INITIAL IDENTITY VALIDATION

3.2.2. AUTHENTICATION OF ORGANIZATION IDENTITY

This paragraph does not apply as IDnow only accepts natural persons as identities for qualified electronic signatures.

3.2.3. AUTHENTICATION OF PHYSICAL PERSON IDENTITY

IDnow uses its video identification process to authenticate the physical identity of a person (see 3.4).

The full name, the date and the place of birth and other data (see 3.1.2) are provided as evidence by IDnow. The number of the passport or the identity document is being checked against the ICAO standard.

All verification steps are documented and stored by IDnow.

If the identity of the person is based on a subsequent remote authentication, the authentication uses at least two factor authentication as defined in ISO 29115. The authentication factors can be:

- something the person has (e.g., device signature, passport, hardware device containing a credential, private key, access to a registered device)
- something the person knows (e.g., password, PIN)
- something the person is (e.g., biometric characteristic).

Any secret information exchanged in authentication protocols shall be cryptographically protected in transit. Two or more credentials implementing different authentication factors shall be used (e.g., something you have combined with something you know).

In the case of chain of remote authentication, the authentication factors are created during the initial identification which was performed in a way which provides equivalent assurance in terms of reliability to the physical presence.

If one of the authentication factors becomes unavailable (e.g. the user forgets a password), the user must either perform a new identification process which provides equivalent assurance in terms of reliability to the physical presence and must establish new authentication factors during this process.

3.2.4. NON-VERIFIED SUBSCRIBER INFORMATION

There is no non-verified information used by the RA to fill a certificate.

3.2.5. VALIDATION OF AUTHORITY

This paragraph does not apply as IDnow only accepts natural persons as identities for qualified electronic signatures.

3.2.6. CRITERIA FOR INTEROPERATION

Certificates generated based on the information provided by IDnow are compliant with ETSI EN 319 411-2 QCP-n-qscd.

3.3. IDENTIFICATION AND AUTHENTICATION FOR RE-KEY REQUESTS

Re-Keying requests are not supported by IDnow.

3.4. IDENTIFICATION AND AUTHENTICATION FOR REVOCATION REQUEST

A subscriber may request a revocation of the certificate. The request has to be performed in person and by the subscriber himself. For such case, the subscriber has to request the revocation through the revocation request form at <https://www.idnow.de/revocation>. Upon requesting the revocation, the subscriber will get an email receipt confirming the reception of the request. The revocation request form is available from 00:00 am to 24:00 pm, seven days a week.

IDnow will then request the revocation of the certificate based on a documented process between the CA and IDnow. For this, IDnow transmits the request and the CA authenticates the responsible person at IDnow.

If IDnow has detected that a certificate was issued with incorrect data as described above, IDnow will request the revocation of the certificate. For this, IDnow transmits the revocation request and the CA authenticates the responsible person at IDnow.

4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS

4.1. CERTIFICATE APPLICATION

4.1.1. WHO CAN SUBMIT A CERTIFICATE APPLICATION

After the successful enrollment process of the subscriber, only IDnow can submit a certificate request to the CA.

The subscriber's personal data are usually transmitted by IDnow's clients and usually not being entered directly on the IDnow website or mobile app by the subscriber. IDnow identifies and authenticates its clients.

The client may also send the documents to be signed to IDnow. If the document(s) or hashes of the document(s) are not provided by the client, the subscriber can upload the document to be signed on the website of IDnow.

4.1.2. ENROLLMENT PROCESS AND RESPONSIBILITIES

IDnow will provide at least the following information for the enrollment process:

- mobile phone
- full name (included surname and given names consistent with the applicable law and national identification practices)

In order to use the registration service, the subscriber has to accept the following terms prior to the start of this process:

- The General Terms & Conditions of IDnow
- The data privacy rules
- The subscriber's consent that the qualified certificate will not be published and only contained in the signed document

4.2. CERTIFICATE APPLICATION PROCESSING

4.2.1. PERFORMING IDENTIFICATION AND AUTHENTICATION FUNCTIONS

For the matter for this document, the subscriber is always the same physical person that is subject of the requested certificate.

Before submitting a certificate request to the CA, IDnow checks the personal details of the subscriber using its video-based face-to-face identification technology (refer to section 3.2).

If the identity of the person is based on a subsequent remote authentication, the authentication uses at least two factor authentication as defined in ISO 29115. The authentication factors can be:

- something the person has (e.g., device signature, passport, hardware device containing a credential, private key, access to a registered device)
- something the person knows (e.g., password, PIN)
- something the person is (e.g., biometric characteristic).

Any secret information exchanged in authentication protocols shall be cryptographically protected in transit. Two or more credentials implementing different authentication factors shall be used (e.g., something you have combined with something you know).

In the case of chain of remote authentication, the authentication factors are created during the initial identification which was performed in a way which provides equivalent assurance in terms of reliability to the physical presence.

If one of the authentication factors becomes unavailable (e.g. the user forgets a password), the user must either perform a new identification process which provides equivalent assurance in terms of reliability to the physical presence and must establish new authentication factors during this process.

4.2.2. APPROVAL OR REJECTION OF CERTIFICATE APPLICATION

The subscriber's personal data are usually transmitted by IDnow's clients and usually not being entered directly on the IDnow website or mobile app by the subscriber. Before approving a certificate application, IDnow ensures that the request came from IDnow's client and that the subscriber has been correctly identified by IDnow.

4.2.2.2. SUBSCRIBER

If the subscriber cannot be identified according to IDnow video identification process or if IDnow has doubt in the validity of the identification data, no certification request will be sent to the CA. In this case, the application of this subscriber will be rejected.

4.3. CERTIFICATE ISSUANCE

4.3.1. CA ACTIONS DURING CERTIFICATE ISSUANCE

After having successfully identified the natural person, IDnow transmits one or more documents or hashes of documents to be signed to the CA.

Before transmitting the documents or hashes, IDnow issues a technical certificate request which includes at least the following subscriber data: the document(s) to be signed, name and first name, mobile phone number, unique identification of the transaction and the GTC of the CA.

The unsigned document is shown to the subscriber by the RA or by the client. The Subscriber can then accept to sign the document and GTC according to the consent protocol by clicking (first approval) in a check box and by entering an OTP (second approval) that the CA has sent to the mobile phone of the Subscriber. This consent protocol is performed by the CA. The mobile phone number is included in the data, which IDnow transmits with the certificate request.

The CA authenticates the Subscriber with an OTP sent to the mobile phone of the Subscriber. After having successfully authenticated the Subscriber, the CA performs the signature on the document(s) and GTC shown to the Subscriber.

After that, the CA transfers the signed documents or signed hashes to IDnow.

4.4. CERTIFICATE ACCEPTANCE

4.4.1. CONDUCTING CERTIFICATE ACCEPTANCE

After having received the signed documents or hashes from the CA, IDnow checks whether the personal data included in the certificate matches the data gathered from the subscriber. If the data or parts of the data do not match, IDnow cancels the signed documents by requesting a certificate revocation. The subscriber as well as the client will be notified.

If an identification has been performed, IDnow additionally conducts a review of the identification data through a second agent before accepting the certificate. If it is determined that the identification data used to sign was not correct, the signed documents or signed hashes are canceled by requesting a certification revocation using the revocation process.

If the check of the personal data could be performed successfully, the signed documents will be sent to the subscriber and the client. Alternatively, the client delivers the signed documents to the subscriber. If the check of the personal data was not successful, the revocation process will be triggered by IDnow.

4.6. CERTIFICATE RENEWAL

Not possible for subscriber certificates.

4.7. CERTIFICATE RE-KEY

Rekeying is not supported.

4.8. CERTIFICATE MODIFICATION

Not possible for subscriber certificates.

4.9. CERTIFICATE REVOCATION AND SUSPENSION

4.9.1. CIRCUMSTANCES FOR REVOCATION

It may occur that IDnow receives information that the personal data of the subscriber does not belong to the ID document or that there have been errors in the registration process of the subscriber. In such cases, IDnow notifies the CA and transmits the unique identifier of the business transaction, subscriber data as well as the signed documents. The CA is then able to revoke the previously issued certificate. IDnow informs the subscriber and the client via email about such incident.

4.9.2. WHO CAN REQUEST REVOCATION

Only the subscriber can request the revocation of the certificate from IDnow.

4.9.3. REVOCATION REQUEST PROCEDURE

A subscriber may request a revocation of the certificate. The request has to be performed in person and by the subscriber himself. For such case, the subscriber has to request the revocation through the revocation request form at <https://www.idnow.de/revocation>. Upon requesting the revocation, the subscriber will get an email receipt confirming the reception of the request. The revocation request form is available from 00:00 am to 24:00 pm, seven days a week.

IDnow will then request the revocation of the certificate based on a documented process between the CA and IDnow. For this, IDnow transmits the request and the CA authenticates the responsible person at IDnow.

If IDnow has detected that a certificate was issued with incorrect data as described above, IDnow will request the revocation of the certificate. For this, IDnow transmits the revocation request and the CA authenticates the responsible person at IDnow.

4.9.5. TIME WITHIN WHICH CA MUST PROCESS THE REVOCATION REQUEST

The maximum delay to revoke a certificate is 24 hours.

5. FACILITY, MANAGEMENT AND OPERATIONAL CONTROLS

5.1. PHYSICAL CONTROLS

Physical controls have been implemented for the locations, which are used to process and store the personal data of the enrollment process in order to prevent unauthorized access to such facilities: The identification center and the data center.

The following measures have been implemented for the identification center:

- Closed windows and doors
- Physical access restriction, authentication only by chip + pin
- Records of access by door to the identification center
- Video surveillance
- Supervision or monitoring of third parties
- Control of ident center access

In addition, IDnow uses several separate ident center locations to minimize the impact of water and fire exposure. No data is permanently stored at the identification centers.

IDnow uses a sub supplier for the operation of the datacenter. It provides the hardware, racks, grid connection, electricity and climate control for the operation of the servers. IDnow takes over the operation including the operating-system level upwards.

The following measures have been implemented for the data center:

- Closed windows and doors
- Fire / Water controls
- Redundant connections / power supplies
- Door access records
- Danger alarm system
- Video surveillance
- Perimeter protection / porter cabins
- Supervision or monitoring of third parties
- Control of datacenter access
- Control tours
- Secure destruction / disposal

In addition, all data at the data center is backed up to an off-site location.

5.2. PROCEDURAL CONTROLS

IDnow has implemented a role concept that ensures that the relevant tasks are separated in such a way to ensure effective controls. Data access is only granted to employees with the respective roles.

Such rights are only granted if the specific role was assigned with a task which requires such data access.

5.3. PERSONNEL CONTROLS

IDnow ensures that the agents performing the enrolment process possess the necessary qualifications and skills. This is implemented by conducting a multi-day training after the recruitment and before deployment in production operations. IDnow provides a detailed training plan in which all initial training and recurrent training is listed. The documentation of the training takes place in the HR management system and in a fireproof safe. The responsibility for carrying out the training rests with the team lead of the identification center and the HR Manager.

The reliability of the employee is determined by IDnow by requiring all relevant documents (in particular police clearance certificate, Schufa information and CV) of that employee. In the examination of the police clearance certificate every entry of the employee in the certificate must be checked separately by the HR Manager and the IT security officer and approved or rejected and, if no entry should exist, no separate authorisation is required.

IDnow ensures that all personal with trusted roles relating to the RA operations are free from conflicting interests that might prejudice the impartiality of the operations. The HR manager is responsible for disciplinary sanctions (including up to termination of contract) if personnel violates IDnow policies or procedure.

IDnow uses a review process to detect incorrect identifications and to check if the identification policies and procedures have been adhered. Additionally, IDnow conducts test identifications for quality control. Goal of these test identifications is to check if all procedures are followed. These test identifications are done at least yearly. Responsible is the team lead identification center.

5.3.7. INDEPENDENT CONTRACTOR REQUIREMENTS

IDnow uses a sub supplier for the housing of the server hardware. It provides the hardware, racks, grid connection, electricity and climate control for the operation of the servers. IDnow takes over the operation including the operating-system level upwards.

IDnow uses a sub supplier for the long term archival of the proof files (5 years' minimum archival duration).

5.3.8. DOCUMENTATION SUPPLIED TO PERSONNEL

IDnow makes available to their personnel the present CP and the corresponding CPS, and any relevant statutes and policies. Other technical, operational and administrative documents (e.g., Administrator Manual, User Manual, etc.) are provided to enable the trusted personnel to perform their duties.

5.4. AUDIT LOGGING PROCEDURES

Audit log files are generated by IDnow for all events related to security and RA services. Where possible, security audit logs are automatically collected. Where this is not possible, a logbook, paper form, or other physical mechanism is used. All security audit logs, both electronic and non-electronic, are retained and made available during compliance audits.

IDnow operates external logging and monitoring which is protected against unauthorised access. Logging is controlled regularly for critical or personal data. The logs and monitoring are regularly checked for discrepancies. A system administrator checks the logs in the case of a security incident.

IDnow performs itself internal security audits of all systems and networks to find vulnerabilities. This is done at least twice a year. The IT security officer is responsible.

Any alteration, deletion, or copying of data is logged with the help of log files through the IDnow software so that alterations in personal data are always traceable. The allocation to the appropriate employee and client accounts is guaranteed at all times.

In addition, it is ensured that IDnow logs the following events:

- Physical facility access
- Changes to trusted roles
- Backup management
- Log management
- Date, time, phone number used, persons spoken to, and end results of verification video calls
- Acceptance and rejection of certificate requests
- IT and network management, as they pertain to the RA systems
- Security management

In addition to that, IDnow records all the information used:

- To verify the subscriber's identity
- If applicable, any specific attributes of the subject, including any reference number on the documentation used for verification, and any limitations on its validity (refer to section 3.2 above)
- To create the certificate request (means all information described in section 4.1.2.2 above)
- The list of all RA Operator that are authorized to enroll and manage subscribers
- Proof file generated by the CA
- The technical Consent Protocol

5.5. RECORDS ARCHIVAL

A PDF document, created by IDnow and transmitted to CA along with Document(s) and GTC to be signed, detailing the performed identification and the identity of the subscriber is included by the CA

in the proof file after successful signature operation made by the Subscriber. After the end of the signature process the proof file is delivered to long term storage which can be operated by a third party.

The long term storage ensures that,

- All media used for archiving are protected against damage and unauthorized access
- Media is available for the required lifetime
- All media are properly disposed at the end of its lifetime

5.7. DISASTER RECOVERY

IDnow regularly conducts residual risk analysis to identify any risk and countermeasures in the business and processes. In addition, IDnow has defined an incident management process.

5.8. TERMINATION

At the moment when IDnow notifies the discontinuation of its services as RA, IDnow will:

- promptly inform the CSP and implement decommissioning activities on the basis of the contract concluded with the CSP,
- send a registered letter to the "technical contact",
- return or destroy all keys, API keys etc. existing and received privately up to the cessation of operations,
- authorize the CA to keep the proof file,
- stop sending identification results to the CSP and
- inform business partners and clients, as far as they are affected by the closure of the business area.

6. TECHNICAL SECURITY CONTROLS

6.4. ACTIVATION DATA

The consent protocol is provided by the CA. Therefore, IDnow does not perform this task.

6.5. COMPUTER SECURITY CONTROLS

6.5.1. SPECIFIC COMPUTER SECURITY TECHNICAL REQUIREMENTS

User management is performed for all data processing systems which require protection. The user management is carried out using personal accounts only. No impersonal collection accounts are used.

The general guidelines for creating passwords (such as minimum length and password complexity) are the basis of the password policy. All employees are informed about the proper handling of passwords and have signed an appropriate guideline.

There is a defined timeout for sessions.

The consciousness of security of their work environment is refreshed for all employees in regular security awareness trainings.

Only system administrators can access the server system and always through encrypted connections. All accesses are personalised and protected by passwords + 2-factor authentication.

Human Resources management issues with the respective superiors the appropriate rights which are specified according to the HR processes. The rights are then reviewed by the IT security officer. When leaving the company, the withdrawal of access rights takes place within maximum 24 hours.

6.7. NETWORK SECURITY CONTROLS

The connection to the TSP is the only PKI component used by IDnow that is being delivered by the CA.

All systems use virus scanners that run automatically in the background and are also automatically updated.

IDnow uses security gateways (firewalls) or if necessary appropriate additional solutions such as application firewalls, next generation firewalls, etc. which, in turn, can perform (for example by Portscans, etc.) intrusion prevention or intrusion detection.

Security checks, such as through vulnerability scans with subsequent evaluation, are carried out:

- at least once per quarter or

- if IDnow receives a request for a vulnerability scan from the CA or the CA/Browser Forum or
- after any system or network changes that the CA determines are significant.

The vulnerability scans will be conducted by a specialized external company.

In addition, IDnow performs penetration tests through an external specialized company:

- at least once per year or
- if IDnow receives a request for a penetration test from the CA or the CA/Browser Forum or
- after any system or network changes that the CA determines are significant.

All personal data that are sent between the identification center and the datacenter is encrypted through a VPN, and in addition TLS. The network for the processing of identification data is physically separated from the network of offices.

The transfer of the data to the client is always encrypted (TLS, SFTP, S/MIME, etc.).

The transfer of data between the user and IDnow during identification is also always encrypted (TLS, DTLS for video).

There is no physical shipment of data.

IDnow ensures the secure operation of all technical systems by "hardening". This includes in particular:

- Removal of unnecessary software/services
- Removal of unnecessary accounts
- Modifying the configuration in regards to security
- If necessary activation of security components
- Protection of network ports

6.8. TIME STAMPING

All systems have their time synchronised through NTP.

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

Prior to performing the role as Registration Service for the CA, an external auditor has to confirm the compliance with ETSI standards EN 319 411-2, EN 319 411-1 and EN 319 401.

The audit program is planned according the following with an audit each year for RA:

- First audit is realized by external auditor
- First year after the initial audit, the audit is realized according to the CA audit program
- Second year after the initial audit, the audit is realized according to the CA audit program
- Third year after the initial audit, the audit is realized again by external auditor

In case of major findings discovered during internal audit made by the CA, RA (Partner) as to fix it and an external audit will be conduct during the same year in order to check the findings.

8.3. TOPICS COVERED BY ASSESSMENT

The following topics will be covered in an audit of IDnow as a registration service:

- Protection, use and management of the key pairs used to protect the communication with the CA
- Creation of the technical certificate request
- RA records against requirements set in the CPS
- “RA procedure” defined by Customer to identify, authenticate and manage certificate request to the CA
- Subscriber personal data protection and management

9. OTHER BUSINESS AND LEGAL MATTERS

9.4. PRIVACY OF PERSONAL INFORMATION

9.4.1. PRIVACY PLAN

IDnow has a privacy plan that is shown to the subscriber at the start of the process and has to be confirmed by the subscriber. The privacy plan is according to the German Electronic Signature Act and the German Privacy Act.

IDnow can optionally work in accordance with a commissioned data processing agreement with the client. The client is then the responsible entity in the sense of §3 paragraph 7 BDSG. The supplier must observe the principles of proper data processing. The supplier must ensure the contractually agreed and legally prescribed information security measures, in particular compliance with the principles in the Annex to §9 BDSG.

In addition, IDnow has appointed a privacy officer.

Every new agent, newly recruited at IDnow, goes through privacy training during his period and takes an online test on data protection.

9.6. REPRESENTATIONS AND WARRANTIES

9.6.3. RA REPRESENTATIONS AND WARRANTIES

IDnow insures as Registration Authority that each subscriber has been identified and authenticated properly prior to a certificate request for such subscriber. Furthermore, IDnow is responsible for the correct performance and authorization of the certificate request. For this matter, IDnow uses a large array of automated checks which are performed by the IDnow software as well as further manual checks performed by a trained IDnow agent.

Before submitting a certificate request to the CA, the subscriber can review the terms and conditions regarding the use of a certificate. Furthermore, the subscriber has to accept such terms and conditions by clicking on a check box shown on the screen. The subscriber can access the terms and conditions via IDnow's website.

IDnow ensures that data contained in the certificate request is complete and accurate. IDnow supports the audit teams and has to make any reasonable effort to complete an audit and to communicate the results.

In case of a loss, stolen or compromised subscriber's private key, IDnow will notify the subscriber. If the CA notifies IDnow that a subscriber's certificate has been compromised, IDnow ensures that no certificate is being used by the subscriber or the client.

9.8. LIMITATIONS OF LIABILITY

IDnow guarantees to have performed the enrollment process and the transmission of the resulting data to the CA. IDnow is not liable regarding the suitability or the authenticity of certificates issued under this CP.

9.9. INDEMNITIES

IDnow makes no claims as to the suitability of certificates issued under this CP for any purpose whatsoever. Relying parties use these certificates at their own risk. IDnow has no obligation to make any payments regarding costs associated with the malfunction or misuse of certificates issued under this CP.